



M-DOOR SINGLE SIDE & SLIM PUSHBUTTON

Company

Project

Select your activity

Part number

Product Configuration



This file is interactive, Please 'Select' or 'click' when mentioned to guide you through your selection



To fully use the interactivity of the document Please open it with Adobe Acrobat PDF

(*) Preferred availability

1

PRODUCT TYPE

Single Side type



Slim type




2


MOUNTING

2a - Single Side type

Front mounting



Rear mounting
(No bezel)




1- Standard
45 mm cutout

2- 43 mm cutout
for refurbishment

2b - Slim type

■ Mounting type


Wall mounting



Pole mounting
(With pole adapter)

Slim 30-32 mm

Slim 34-35 mm



■ Product orientation

Vertical



Horizontal



- Pole cutout depends on the choice of connector
- Connector choice limited



MAFELEC TEAM
CREATING SMART AND
SUSTAINABLE INTERFACES

MAFELEC
www.mafelec.com

July 2025



(*) Preferred availability


3

BODY / BEZEL

3a Single Side type

ROUND STYLE

	Plastic type	Metal type
	Existing plastic type configuration (Click here to view and select)	Existing metal type configuration (Click here to view and select)
Reference		
Color (RAL)		
Top Marking		
Down Marking		



Customized configuration
(Complete the configuration table below)

TABLE FOR CUSTOMIZED CONFIGURATION

Marking	YES	NO
Bezel color	Signal Black (*) (RAL 9004) Pure White (*) (RAL 9010) Dark Grey (RAL 7037) Window Grey (*) (RAL 7040) Pearl Light Grey (*) (RAL 9022) Traffic Blue (*) (RAL 5017) Night Blue (RAL 5022) Zinc Yellow (RAL 1018) Melon Yellow (*) (RAL 1028) Traffic Orange (RAL 2009) Strawberry Red (RAL 3018) Traffic Red (RAL 3020) Traffic Green (*) (RAL 6024) Signal Green (*) (RAL 6032) Other color (Indicate your color)	
Top side marking	Existing text or braille (Click below to view and select) Plastic Metal	Other text or braille Text protrusion Relief Braille None Text color Black White None Other
Down side marking	Existing text or braille (Click below to view and select) Plastic Metal	Other text or braille Text protrusion Relief Braille None Text color Black White None Other



METAL SQUARE STYLE

	Existing color (Click here to view and select)
Reference	
Color (RAL)	

Other color
(Indicate your color)



PLASTIC TRIANGLE STYLE

	Existing configuration (Click here to view and select)
Reference	
Color (RAL)	
Top marking	
Down marking	

Customized configuration
(Complete the configuration table below)



TABLE FOR CUSTOMIZED CONFIGURATION

Marking	YES 	NO			
Bezel color	 Zinc yellow (RAL 1018)	 Signal yellow (*) (RAL 1003)	 Melon yellow (RAL 1028)	 Window grey (RAL 7040)	 Traffic orange (RAL 2009)
	 Strawberry red (RAL 3018)	 Signal green (RAL 6032)	Other color (Indicate your color) 		

3b Slim type

■ Housing color

	Existing color (Click here to view and select)
Reference	
Color (RAL)	

Other color
(Indicate your color)



■ Adapter color (Only for pole mounting)

	Existing color (Click here to view and select)
Reference	
Color (RAL)	

Other color
(Indicate your color)



4

ACTUATOR

4a Plastic flush actuator

Customized configuration
(Complete the configuration table below)



Relief symbol or
braille



Visual label



Actuator color


TABLE FOR CUSTOMIZED CONFIGURATION

Actuator color	 Signal black (RAL 9004)  Dark Grey (RAL 7043)  Window grey (*) (RAL 7040)  Traffic blue (*) (RAL 5017)  Traffic green (*) (RAL 6024)  Zinc yellow (*) (RAL 1018)
	 Traffic orange (RAL 2009)  Traffic red (RAL 3020)  Pure white (RAL 9010) Other color (Indicate your color)
Visual label	Existing label (Click here to view and select) Existing symbol (Click here to view and select) Other visual (Please provide a drawing) Symbol color Black White None Other Background color Black White None Other
Relief symbol or braille	Existing relief symbol or braille (Click here to view and select) Other relief symbol or braille (Please provide a drawing) Text protrusion Relief Braille

4b Metal actuator

	Existing configuration (Click here to view and select)
Reference	
Color (RAL)	
Actuator style	
Center lit hole	
Symbol	

Customized configuration
(Complete the configuration table below)




FLUSH

Actuator color

Center lit hole

Visual symbol



RAISED

TABLE FOR CUSTOMIZED CONFIGURATION

Actuator style	Flush		Raised			
Center lit hole	Yes		No			
Actuator color						
	Pearl Light Grey (*) (RAL 9022)	Window Grey (*) (RAL 7040)	Anthracite Grey (RAL 7016)	Traffic Grey (RAL 7043)	Traffic Green (RAL 6024)	Traffic Blue (RAL 5017)
					Other color (Indicate your color) 	
	Night Blue (RAL 5022)	Traffic Red (RAL 3020)	Zinc Yellow (RAL 1018)	Traffic Yellow (RAL 1023)		
Symbol	Existing symbol or braille (Click here to view and select)		Other symbol or braille (Please provide a drawing)		Symbol style	Color symbol
					Relief	Black
					Braille	White
					None	None
						Other



5

ACTUATION FORCE

Standard force $F < 15 \text{ N}$

Hardened force $F < 30 \text{ N}$
(Application example: call for aid button)

6

VOLTAGE

12V

12/24V
(Only for buses)

24V

36V

72V

110V

Other

7

LIGHTING

None

Green

Red

Blue

Amber

White

Other

Color 1

Color 2






8


ELECTRICAL LAYOUT

8a Bus & Coaches layout (ECER10 - 12VDC or 24VDC)


N°1




N°2




N°3




N°4



N°5



N°6



Input				Visual feedback and output					
Actuator	COLOR 1		COLOR 2		COLOR 1 light		COLOR 2 light		Switch
Released	0V	+VDC	OPEN	0V	+VDC	OPEN	ON	OFF	OPEN
Released	0V	+VDC	OPEN	0V	+VDC	OPEN	ON	OFF	OPEN
Released	0V	+VDC	OPEN	0V	+VDC	OPEN	ON	OFF	OPEN
Released	0V	+VDC	OPEN	0V	+VDC	OPEN	ON	OFF	OPEN
Pressed	0V	+VDC	OPEN	0V	+VDC	OPEN	ON	OFF	+VDC
Pressed	0V	+VDC	OPEN	0V	+VDC	OPEN	ON	OFF	+VDC
Pressed	0V	+VDC	OPEN	0V	+VDC	OPEN	ON	OFF	+VDC
Pressed	0V	+VDC	OPEN	0V	+VDC	OPEN	ON	OFF	+VDC

ELECTRICAL LAYOUT

8b Other layouts


Bus & coaches (ECER10) or Railway (EN50155)




The schematics are only for NO contacts.

For NC contact request, please select the schematic n°12 and indicate your need.


N°7




N°8




N°9



N°10




N°11



N°12

Other specific layout
(Please provide schematic information)



Input			Visual feedback and output			
Actuator	COLOR 1		COLOR 2		Switch	
Released	0V	+VDC	OPEN	ON	OFF	OPEN
Released	0V	+VDC	OPEN	ON	OFF	OPEN
Released	0V	+VDC	OPEN	ON	OFF	OPEN
Released	0V	+VDC	OPEN	ON	OFF	OPEN
Pressed	0V	+VDC	OPEN	ON	OFF	+VDC
Pressed	0V	+VDC	OPEN	ON	OFF	+VDC
Pressed	0V	+VDC	OPEN	ON	OFF	+VDC
Pressed	0V	+VDC	OPEN	ON	OFF	+VDC


8

ELECTRICAL LAYOUT

8c Railway or Bus layout with signal tone

! Available only with plastic actuator


N°13



		Actuator released		Actuator pressed	
Voltage		Color 1 (COL1)	Tone 1 (TON1) Sequence (possible tone and silence duration setup)	Color 2 (COL2)	Tone 2 (TON2) Sequence (continuous duration only)
	24 VDC	-	-	Red	880 Hz continuous
	24 VDC	Green	-	Red	3,4 KHz continuous
	24 VDC	Blue	-	Red	880 Hz continuous
	24 VDC				

Notes: Only 1 frequency configurable for each Tone 1 **OR** Tone 2. Frequency range selection from 500 Hz to 5000 Hz..

N°14



		Actuator released		Actuator pressed	
Voltage		Color 1 (COL1)	Tone 1 (TON1) Sequence (possible tone and silence duration setup)	Color 2 (COL2)	Tone 2 (TON2) Sequence (continuous duration only)
	72 VDC	-	-	White	800 Hz continuous
	72 VDC				


Notes: Unique frequency configurable for Tone 1 **AND** Tone 2. Frequency range selection from 500 Hz to 5000 Hz.

8

ELECTRICAL LAYOUT

8c Railway or Bus layout with signal tone

N°15





		Actuator pressed	
	Voltage	Color 2 (COL2)	Tone 2 (TON2) Sequence
	24 VDC	White	3200 Hz for 250 ms Silence 750 ms 3600 Hz for 250 ms Silence 1 s Repeat 2 times
	72 VDC	White	3200 Hz for 250 ms Silence 750 ms 3600 Hz for 250 ms Silence 1 s Repeat 2 times

Notes: Signal light and tone available only after actuator pressing. Customizable Tone sequence. Frequency range selection from 500 Hz to 5000 Hz.

N°16 Other specific signal light and tone layout request for feasibility check

(Please provide **schematic** information)

(Please provide **scenario** information)







9

CABLE

■ Cable position



■ Type


ECER118

NFPA130
EN50306-4

NFPA130
EN50306-4

(Connecting side with cable overmolded (IP65))

■ Standard length



L = 170
(Standard)

Other: L (≥ 200 mm)
(Pitch of 100 mm)

L = 130
(Min)

L = 500

L = 1000

10

CONNECTION



For M-Door Slim limited choice of connector due to hole size - For any specific demand, please contact us.

DESIGNATION	ISO VIEW	MATING VIEW	PIN OUT					
			EXISTING				CUSTOMIZED	
			PIN	LAYOUT N°5	LAYOUT N°7	LAYOUT N°9	LAYOUT N°10	LAYOUT N°
Without connector (Standard)			1	+VDC COL1	+VDC COL1	+VDC COL1	+VDC COL1	
			2	+VDC	SW IN	SW IN	SW IN	
			3	SW OUT	SW OUT	SW OUT	SW OUT	
			4	0V	0V	0V	0V	
			5	+VDC COL2		+VDC COL2		
Wago Female 2pts ref 769-102			PIN	LAYOUT N°11				LAYOUT N°
			2	SW IN				
			3	SW OUT				
AMP Female 4pts ref 180-901			PIN	LAYOUT N°7	LAYOUT N°10			LAYOUT N°
			1	+VDC	+VDC			
			2	SW IN	SW IN			
			3	SW OUT	SW OUT			
			4	0V	0V			



MAFELEC TEAM

CREATING SMART AND
SUSTAINABLE INTERFACES

MAFELEC
www.mafelec.com

July 2025



10

CONNECTION



For M-Door Slim limited choice of connector due to hole size. For any specific demand, please contact us.

DESIGNATION	ISO VIEW	MATING VIEW	PIN OUT				
			PIN	EXISTING			CUSTOMIZED
AMP Male 4pts superseal ref 282088-1		 4 3 2 1		LAYOUT N°7	LAYOUT N°10		LAYOUT N°
			1	+VDC	+VDC		
			2	SW IN	SW IN		
			3	SW OUT	SW OUT		
			4	0V	0V		
IEC 61076-2-101 Male 4pts M12x1		 2 3 1 4		LAYOUT N°7			LAYOUT N°
			1	SW IN			
			2	0V			
			3	+VDC			
			4	SW OUT			
Wago Female 4pts ref 769-104		 1 2 3 4			LAYOUT N°10		LAYOUT N°
			1	+VDC	+VDC		
			2	SW IN	SW IN		
			3	SW OUT	SW OUT		
			4	0V	0V		
TE Connectivity AMP MCP 2.8 Male 6pts ref 1-965641-1		 3 2 1 6 5 4		LAYOUT N°3			LAYOUT N°
			1	+VDC COL1			
			2	0V			
			3	SW OUT			
			4	+VDC COL2			
			5	+VDC			
			6	Not connected			
AMP Female 6pts ref 794940-1		 3 2 1 6 5 4		LAYOUT N°4	LAYOUT N°7	LAYOUT N°9	LAYOUT N°
			1	+VDC	+VDC	+VDC COL1	
			2	SW OUT	SW IN	SW IN	
			3	0V	SW OUT	0V	
			4	+VDC COL1	0V	+VDC COL2	
			5			SW OUT	
Other connection	Please provide your connector brand and reference						LAYOUT N°
			1				
			2				
			3				
			4				
			5				
			6				

11

OTHER REQUEST / COMMENT



(*) Preferred availability

A

ROUND BEZEL

A1 Plastic round bezel

(Click on the visual to select your reference)

Visual						
Color (RAL)	(*) 7040	3018	2009	1018	(*) 1028	(*) 6024
Top Marking	None	None	None	None	None	None
Down Marking	None	None	None	None	None	None
Reference	MAN1209B1	MAN1209B2	MAN1209B3	MAN1209B4	MAN1209B4A	MAN1209B5

Visual						
Color (RAL)	(*) 5017	7037	(*) 9010	5022	(*) 9004	7040
Top Marking	None	None	None	None	None	OPEN Braille
Down Marking	None	None	None	None	None	OPEN Raised Black
Reference	MAN1209B6	MAN1209B8	MAN1209B9	MAN1209BBF	MAN1209BBK	MAN1398C1

Visual						
Color (RAL)	1018	6024	5017	1018	7037	1018
Top Marking	OPEN Braille	OPEN Braille	OPEN Braille	LOCK Braille	LOCK Braille	FLUSH Braille
Down Marking	OPEN Raised Black	OPEN Raised	OPEN Raised	LOCK Raised Black	LOCK Raised White	FLUSH Raised Black
Reference	MAN1398C4	MAN1398D5	MAN1398D6	MAN1400B4	MAN1400B8	MAN1401B4



A

ROUND BEZEL

A1 Plastic round bezel (continued)

(Click on the visual to select your reference)

Visual						
Color (RAL)	7040	1018	3018	5017	1018	7037
Top Marking	CLOSE Braille	CLOSE Braille	STOP Braille	DOOR Braille	OPEN/CLOSE Braille	OPEN/CLOSE Braille
Down Marking	CLOSE Raised Black	CLOSE Raised Black	STOP Raised	DOOR Raised	OPEN/CLOSE Raised Black	OPEN/CLOSE Raised White
Reference	MAN1418B1	MAN1418B4	MAN1583D2	MAN1593C6R	MAN1601A4	MAN1601A8


Visual						
Color (RAL)	3018	1018	1018	1018	3018	7037
Top Marking	SOS Braille	SOS Braille	SOS Braille	OPEN/CLOSE Braille	STOP Braille	Taharet Raised White
Down Marking	None	None	SOS Raised	None	None	Muslugu Raised White
Reference	MAN1604B2R	MAN1604B4R	MAN1604C4R	MAN1426A4	MAN1625A2	MAN1629A8


Visual						
Color (RAL)	7037	1028	5017			
Top Marking	FLUSH Braille	PORTE Braille	APPEL Braille			
Down Marking	FLUSH Raised White	PORTE Raised Black	APPEL Raised White			
Reference	MAN1401B8	MAN1735B4A	MAN1734B6			



A1.1 Plastic round bezel top side marking

(Click on the visual to select your reference)


Visual						
Marking	OPEN Braille	LOCK Braille	FLUSH Braille	CLOSE Braille	STOP Braille	DOOR Braille
Reference	PRBUM001	PRBUM002	PRBUM003	PRBUM004	PRBUM005	PRBUM006
Visual						
Marking	OPEN/CLOSE Braille	SOS Braille	Taharet	Porte	Appel	
Reference	PRBUM007	PRBUM008	PRBUM009	PRBUM010	PRBUM011	



A1.2 Plastic round bezel down side marking

(Click on the visual to select your reference)

Visual						
Marking	OPEN Raised	LOCK Raised	FLUSH Raised	CLOSE Raised	STOP Raised	DOOR Raised
Reference	PRBDM001	PRBDM002	PRBDM003	PRBDM004	PRBDM005	PRBDM006
Visual						
Marking	OPEN/CLOSE Raised	SOS Raised	Muslugu	Porte	Appel	
Reference	PRBDM007	PRBDM008	PRBDM009	PRBDM010	PRBDM011	





A

ROUND BEZEL

A2 Metal round bezel

(Click on the visual to select your reference)

Visual						
Color (RAL)	Decorative chrome	7040	(*) 9022	3020	1018	6032
Top Marking	None	None	None	None	None	None
Down Marking	None	None	None	None	None	None
Reference	MZN0046A0	MZN0046A1	MZN0046AG	MZN0046A2	MZN0046A4	MZN0046A5

Visual						
Color (RAL)	5017	1018	1018	1018	1018	1018
Top Marking	None	INFO Braille	BLOCCARE Braille	WC Braille	APRIRE Braille	CHIUDERE Braille
Down Marking	None	None	None	None	None	None
Reference	MZN0046A6	MZN0082A4	MZN0083A4	MZN0084A4	MZN0085A4	MZN0086A4

Visual						
Color (RAL)	3020					
Top Marking	SOS Braille					
Down Marking	None					
Reference	MZN0087A2					



A

ROUND BEZEL

A2.1 Metal round bezel top side marking

Visual						
Marking	INFO Braille	BLOCCARE Braille	WC Braille	APRIRE Braille	CHIUDERE Braille	SOS Braille
Reference	MRBUM001	MRBUM002	MRBUM003	MRBUM004	MRBUM005	MRBUM006



A2.1 Metal round bezel down side marking

No existing configuration yet

B

METAL SQUARE BEZEL

(Click on the visual to select your reference)



Visual						
Color (RAL)	Decorative chrome	7040	(*) 9022	3020		
Reference	MZN0058A0	MZN0058A1	MZN0058AG	MZN0058A2		



C

PLASTIC TRIANGULAR BEZEL

(Click on the visual to select your reference)

Visual						
Color (RAL)	1018	7040	1003	1028	2009	3018
Top Marking	None	None	SOS Raised (*) Black	SOS Raised Black	SOS Raised Black	SOS Raised Black
Down Marking	None	None	SOS Braille	SOS Braille	SOS Braille	SOS Braille
Reference	MAN1446B4	MAN1446D1	MAN1274B4A	MAN1274B3	MAN1274B3F	MAN1274A2
Visual						
Color (RAL)	7040	6032				
Top Marking	SOS Raised Black	SOS Raised White				
Down Marking	SOS Braille	SOS Braille				
Reference	MAN1274A1	MAN1274B5				





D

SLIM TYPE HOUSING

(Click on the visual to select your reference)

Visual						
Color (RAL)	7040	3000	1018	6024	5017	7037
Reference	MAN1214A1	MAN1214A2	MAN1214A4	MAN1214A5	MAN1214A6	MAN1214A8
Visual						
Color (RAL)	7016	9005				
Reference	MAN1214A8A	MAN1214ABK				



E

ADAPTER FOR SLIM TYPE POLE MOUNTING

(Click on the visual to select your reference)

Visual					
Color (RAL)	7040	1018	6024	5017	9005
Reference	APSB001	APSB002	APSB003	APSB004	APSB005



F

PLASTIC ACTUATOR

F1 Existing label for plastic actuator

(Click on the visual to select your reference)

Visual		(*) 				
Reference	PAN592A1	PAN592B1	PAN592C9	PAN592E5	PAN592D5	PAN592F2
Symbol	Arrows opening	Arrows opening	Arrows opening	Arrows opening	Arrows opening	Arrows opening
Symbol color	None	Pantone black C	Pantone black C	Translucent white	Pantone black C	Pantone black C
Background color	Pantone black C	None	Translucent white	Green RAL6024	Translucent green 02	Red RAL 3000
Visual						
Reference	PAN625B1	PAN625A1	PAN878A0	PAN878B1	PAN878C6	PAN892A0
Symbol	Arrows closing	Arrows closing	Wheelchair + Pram	Wheelchair + Pram	Wheelchair + Pram	Wheelchair + Pram + <>
Symbol color	Pantone black C	None	None	Pantone black C	None	None
Background color	None	Pantone black C	Pantone black C	None	Blue RAL5017	Pantone black C
Visual		(*) 			(*) 	
Reference	PAN892B1	PAN624B1	PAN624A1	PAN624C6	PAN624D1	PAN624F6
Symbol	Wheelchair + Pram + <>	Wheelchair	Wheelchair	Wheelchair	Wheelchair	Wheelchair
Symbol color	Pantone black C	Pantone black C	None	Pantone black C	Pantone black C	Translucent white BLC02
Background color	None	None	Pantone black C	Translucent blue	None	Blue RAL5017
Visual						
Reference	PAN624B6	PAN624E1	PAN747A1	PAN747B1	PAN747C1	PAN747E6
Symbol	Wheelchair	Wheelchair 90°	Pram	Pram	Pram	Pram
Symbol color	Blue RAL5017	Pantone black C	None	Pantone black C	Pantone black C	Translucent white BLC02
Background color	Translucent white BLC02	None	Pantone black C	None	None	Blue RAL5017



(*) Preferred availability
(Click on the visual to select your reference)

Visual						(*)
Reference	PAN747B6	PAN960A0	PAN960C6	PAN960A6	PAN960E0	PAN952A0
Symbol	Pram	Senior	Senior	Senior	Senior 90°	Blind person
Symbol color	Blue RAL5017	Pantone black C	Translucent white	Blue RAL5017	Pantone black C	Pantone black C
Background color	Translucent white BLC02	Translucent white	Blue RAL5017	Translucent white	Translucent white	None
Visual				(*)		
Reference	PAN965A2	PAN782C9	PAN782A1	PAN667B1	PAN667A1	
Symbol	Pregnant	UFR	UFR	Stop request	Stop request	
Symbol color	Opaque white RAL9003	Pantone black C	None	Pantone black C	None	
Background color	Red RAL3018	Translucent white BLC02	Pantone black C	None	Pantone black C	
Visual						
Reference	PAN845C9	PAN858C9	PAN841B1	PAN951A0	PAN951C5	PAN997A0
Symbol	Vertical thumb	Horizontal thumb	Bike	Door opening	Door opening	Locked door opening
Symbol color	Pantone black C	Pantone black C	Black	Pantone black C	Translucent white BLC02	Pantone black C
Background color	Translucent white BLC02	Translucent white BLC0	Crystal	None	Green	None
Visual	(*)	(*)				
Reference	PAN762C9	PAN977A1	PAN976A1	PAN871C9	PAN980A4	PAN943A0
Symbol	Stop	Stop	SOS	SOS	Light bulb	Phone
Symbol color	Pantone black C	White RAL9010	White RAL9010	Pantone black C	None	Pantone black C
Background color	Translucent white BLC02	Red RAL3000	Red RAL3018	Translucent white BLC02	Yellow C JNE01	None
Visual						
Reference	PAN879B8	PAN774A0	PAN894A0	PAN904A0	PAN966A0	PAN1020B4
Symbol	Information	Restroom	Coffee cup	F	Key	Full bell
Symbol color	Pantone black C	Pantone black C	Pantone black C	Pantone black C	Pantone black C	Black
Background color	None	None	None	None	None	Translucent Yellow



(*) Preferred availability

(Click on the visual to select your reference)

Visual						
Reference	PAN1020A4	PAN789A1	PAN790A1	PAN970A1		
Symbol	Bell	Number 0	Number 1	Number 2		
Symbol color	White	Pantone black C	Pantone black C	Pantone black C		
Background color	Translucent yellow	None	None	None		







F2 Existing symbol for customized label

Visual						
Reference	PAN592	PAN878	PAN892	PAN624-R	PAN624-L	PAN747-R
Symbol marking	Arrows opening	Wheelchair + Pram	Wheelchair + Pram + Arrows opening	Wheelchair Right	Wheelchair Left	Pram Right
Visual						
Reference	PAN747-L	PAN960	PAN952	PAN965	PAN782	PAN667
Symbol marking	Pram Left	Senior	Blind person	Pregnant	UFR	Stop request
Visual						
Reference	PAN845	PAN858	PAN841	PAN762	PAN951	PAN997
Symbol marking	Vertical thumb	Horizontal thumb	Bike	Stop	Door opening	Locked door opening
Visual						
Reference	PAN871	PAN625	PAN966	PAN980	PAN894	PAN904
Symbol marking	SOS	Arrows closing	Key	Light bulb	Coffee cup	F
Visual						
Reference	PAN1020	PAN943				
Symbol marking	Bell	Phone				



F3 Lens for plastic actuator

(Click on the visual to select your reference)

Visual						
Reference	MAN1174B8	MAN1175B8	MAN1312B8	MAN1244B8	MAN1315B8	MAN1415B8
Visual						
Reference	MAN1710B8	MAN1314B8	MAN1440B8	MAN1454B8	MAN1323B8	MAN1316B8
Visual						
Reference	MAN1613B8	MAN1745B8	MAN1395B8	MAN1672B8	MAN1681B8	MAN1592B8
Visual						
Reference	MAN1582B8					





(*) Preferred availability

G

METAL ACTUATOR

G1 Existing metal actuator

(Click on the visual to select your reference)

Visual						
Color (RAL)	9022	7040	9005	9022	7040	6024
Actuator type	Flush	Flush	Flush	Raised	Raised	Raised
Center lit hole	No	No	No	No	No	No
Symbol	None	None	None	None	None	None
Reference	MZN0044SG	MZN0044S1R0	MZN0044SBKRO	MZN0045SG	MZN0045S1R0	MZN0045S5R0
Visual						
Color (RAL)	9022	9022	7040	9005	9022	9022
Actuator type	Raised	Flush	Flush	Flush	Raised	Raised
Center lit hole	Yes	Yes	Yes	Yes	Yes	Yes
Symbol	None	OPEN Raised Black	OPEN Raised Black	OPEN Raised White	OPEN Black	OPEN Raised Black
Reference	MZN0045AG	MZN0047AG	MZN0047A1	MZN0047ABK	MZN0045AGR1	MZN0049AG
Visual						
Color (RAL)	(*) 7040	7016	9022	(*) 7040	6024	9022
Actuator type	Raised	Raised	Raised	Raised	Raised	Flush
Center lit hole	Yes	No	No	No	No	Yes
Symbol	OPEN Raised Black	OPEN Raised White	OPEN Raised Black	OPEN Raised Black	OPEN Raised Black	CLOSE Raised Black
Reference	MZN0049A1	MZN0049SGF	MZN0049SG	MZN0049S1	MZN0049S5	MZN0048AG



G1 Existing metal actuator (continued)

(Click on the visual to select your reference)

Visual						
Color (RAL)	9022	9022	(*) 7040	9022	(*) 7040	3020
Actuator type	Raised	Raised	Raised	Raised	Raised	Raised
Center lit hole	Yes	Yes	Yes	No	No	No
Symbol	CLOSE Black	CLOSE Raised Black	CLOSE Raised Black	CLOSE Raised Black	CLOSE Raised Black	CLOSE Raised Black
Reference	MZN0045AGR2	MZN0050AG	MZN0050A1	MZN0050SG	MZN0050S1	MZN0050S2
Visual						
Color (RAL)	1018	5017	7040	5022	1018	5017
Actuator type	Raised	Raised	Raised	Raised	Raised	Raised
Center lit hole	Yes	Yes	No	No	Yes	Yes
Symbol	PRM Raised Black	PRM Raised White	PRM Raised Black	PRM Raised White	PRM Raised Black + S Braille	PRM Raised White + S Braille
Reference	MZN0052A4	MZN0052A6	MZN0052S1	MZN0052SBF	MZN0071A4	MZN0071A6
Visual						
Color (RAL)	1018	9022	7040	5017	9005	7016
Actuator type	Raised	Raised	Raised	Raised	Raised	Raised
Center lit hole	No	No	No	No	No	No
Symbol	PRM Raised Black + S Braille	KEY Raised Black	KEY Raised Black	KEY Raised White	KEY Raised Decorative Chrome	KEY Raised White
Reference	MZN0071S4	MZN0064SG	MZN0064S1	MZN0064S6	MZN0064SBK1	MZN0064SGF



G1 Existing metal actuator (continued)

(Click on the visual to select your reference)

Visual						
Color (RAL)	1018	3020	1018	7040	5022	9005
Actuator type	Raised	Raised	Raised	Raised	Raised	Raised
Center lit hole	Yes	No	No	No	No	No
Symbol	STOP Raised Black + S Braille	STOP Raised White + S Braille	STOP Raised Black + S Braille	INFO Raised Black	INFO Raised White	INFO Raised Decorative Chrome
Reference	MZN0070A4	MZN0070S2	MZN0070S4	MZN0072S1	MZN0072SBF	MZN0072SBK1
Visual						
Color (RAL)	7040	9022	7040	9005	7016	9022
Actuator type	Raised	Raised	Raised	Raised	Raised	Raised
Center lit hole	Yes	No	No	No	No	Yes
Symbol	OPEN / CLOSE Raised Black	OPEN / CLOSE Raised Black	OPEN / CLOSE Raised Black	OPEN / CLOSE Raised Deco- rative Chrome	OPEN / CLOSE Raised White	WC Raised Black
Reference	MZN0074A1	MZN0074SG	MZN0074S1	MZN0074SBK1	MZN0074SGF	MZN0091AG
Visual						
Color (RAL)	9022	9022	7040	5017	9005	9005
Actuator type	Raised	Raised	(*) Raised	Raised	Raised	Raised
Center lit hole	No	No	No	No	No	No
Symbol	WC Raised Black	WC Raised	WC Raised Black	WC Raised	WC Raised White	WC Raised Decorative Chrome
Reference	MZN0091SG	MZN0091SGZ0	MZN0091S1	MZN0091S6R	MZN0091SBK	MZN0091SBK1



G1 Existing metal actuator (continued)



(Click on the visual to select your reference)

Visual						
Color (RAL)	7043	9022	7040	9022	7040	9022
Actuator type	Raised	Raised	Raised	Raised	Raised	Raised
Center lit hole	No	No	No	No	No	No
Symbol	WC Raised Black	SOS Raised Black	SOS Raised Black	F Raised Black	F Raised Black	WATER Raised Black
Reference	MZN0091SGR	MZN0100SG	MZN0100S1	MZN0105SG	MZN0105S1	MZN0102SGR0
Visual						
Color (RAL)	9022	1023	7040	9022	9022	9022
Actuator type	Raised	Raised	Raised	Flush	Raised	Raised
Center lit hole	No	No	No	No	Yes	No
Symbol	BELL Raised Black	BELL Raised Black	BELL Raised Black	Bell Raised Black	LOCK Raised Black	SINK Raised Black
Reference	MZN0106SG	MZN0106S10	MZN0106S1	MZN0117SG	MZN0125AG	MZN0113SG
Visual						
Color (RAL)	7040	9022	9022	3020	1018	9022
Actuator type	Raised	Raised	Flush	Raised	Raised	Raised
Center lit hole	No	No	No	No	No	Yes
Symbol	BIDET Raised Black	OPEN/CLOSE Raised Black	FLUSH Raised Black	VESZ Raised Black	IZLAZ Raised Black	EMERGENCY OPEN Raised Black
Reference	MZN0114S1	MZN0045SGR9	MZN0044SGR8	MZN0109S2	MZN0097S4	MZN0126AG



G2 Symbol for metal actuator

(Click on the visual to select your reference)

Visual						
Actuator style	Flush	Raised	Flush	Raised	Flush	Flush
Center lit hole	No	No	Yes	Yes	Yes	No
Symbol	None	None	None	None	OPEN Raised	OPEN Raised
Reference	MMA001	MMA002	MMA003	MMA004	MMA005	MMA006
Visual						
Actuator style	Raised	Raised	Raised	Flush	Raised	Raised
Center lit hole	No	Yes	Yes	Yes	Yes	Yes
Symbol	OPEN Raised	OPEN Raised	OPEN	CLOSE Raised	CLOSE Raised	CLOSE
Reference	MMA007	MMA008	MMA009	MMA010	MMA011	MMA012
Visual						
Actuator style	Raised	Flush	Raised	Raised	Raised	Raised
Center lit hole	No	No	Yes	No	Yes	No
Symbol	CLOSE Raised	CLOSE Raised	PRM Raised	PRM Raised	PRM Raised + S Braille	PRM Raised+ S Braille
Reference	MMA013	MMA014	MMA015	MMA016	MMA017	MMA018
Visual						
Actuator style	Raised	Raised	Raised	Raised	Raised	Raised
Center lit hole	No	No	Yes	No	No	Yes
Symbol	OPEN / CLOSE Raised	KEY Raised	STOP Raised + S Braille	STOP Raised + S Braille	INFO Raised	OPEN / CLOSE Raised
Reference	MMA019	MMA020	MMA021	MMA022	MMA023	MMA024



G2 Symbol for metal actuator (continued)

(Click on the visual to select your reference)

Visual						
Actuator style	Raised	Raised	Raised	Raised	Raised	Raised
Center lit hole	No	Yes	No	Yes	No	No
Symbol	OPEN / CLOSE Raised	WC Raised	WC Raised	SOS Raised	SOS Raised	F Raised
Reference	MMA025	MMA026	MMA027	MMA028	MMA029	MMA030
Visual						
Actuator style	Raised	Raised	Flush	Flush	Raised	Raised
Center lit hole	No	No	Yes	No	Yes	No
Symbol	WATER Raised	BELL Raised	BELL Raised	BELL Raised	SINK Raised	SINK Raised
Reference	MMA031	MMA032	MMA033	MMA034	MMA035	MMA036
Visual						
Actuator style	Raised	Raised	Flush	Raised	Raised	Raised
Center lit hole	No	No	No	No	No	Yes
Symbol	BIDET Raised	OPEN/CLOSE	FLUSH	VESZ Raised	IZLAZ Raised	LOCK Raised
Reference	MMA037	MMA038	MMA039	MMA040	MMA041	MMA042
Visual						
Actuator style	Raised					
Center lit hole	Yes					
Symbol	EMERGENCY OPEN Raised					
Reference	MMA043					

